

Grant Application

Please review the Local Records Program Grants Guidelines: LRGrantGuidelines.pdf (ky.gov) and consult with your Regional Administrator before completing this form. Attach three (3) written, itemized, project bid proposals for each project section. Please send the completed application to:

Email (preferred)

Mail

Fax

LRB.Application@kv.gov

Local Records Branch

Local Records Branch (502) 564-5773

Kentucky Department for Libraries and Archives

P.O. Box 537

300 Coffee Tree Road

Frankfort, Kentucky 40602-0537

Contact Information

Local Government Agency:

Pike County Clerk

Applicant Name:

(Records Custodian/Officer)

Darrell Pugh

Applicant Title:

Pike County Clerk

Primary Point of Contact:

Darrell Pugh

Office Address:

146 Main Street

Pikeville, Ky 41501

Phone Number:

(Including area code)

606-432-6211

Email Address:

darrell.pugh@ky.gov

Federal ID Number:

61-0600439

Project Summary

Total Funds Requested: \$77062.78

Please provide a complete description of the proposed project: Describe the project scope and expected results. Explain why the identified records are selected for preservation; and their historical significance and relevance to the community. Identify key agency personnel and their role(s) in the project. Explain the agency's contribution to the project: working space, equipment storage, staff or monetary contribution. Describe how the completion of this project will assist the agency's records management program.

Equipment is a crucial part of our records mangement program. These are our counties permanent records. We are applying for this grant to upgrade are records keeping equipment. Our current equipment is slowing down due to age and running out of space needed for updates to our software program used to record these documents and storage for these records. New equipment will help us get the space and updates that we need for our recording process.



Plan of Work

Please list the lowest bid project vendor(s) for each section.

Section I

Purpose: Scan & print plat maps

Vendor:

Software Management

Vendor Contact:

Jackie Arnold

Vendor Address:

2011 Cobalt Drive

Louisville, KY 40299

Vendor Phone and Email: 502-708-7068 jarnold@smllc.us

Records	Date	Series	Cost
Plat Map Scanner/Printer combo			10909.00
Quality Control (Add 12.5% of the microfilming cost)			
Total Section I Cost			10909.00

Sec	tioı	n I	l

Purpose: More space and updated recording software

Vendor:

DRMS

Vendor Contact:

Trystan Gurrola

Vendor Address:

PO Box 4097

Paducah, KY 42002

Vendor Phone and Email:

270-443-1610 Trystan, Gurrola@drmsusa.com

Records	Date	Series	Cost
Dell Server, server backup, BNAS, Firewall, Configuration switches			31390.00
			<u> </u>
Quality Control (Add 12.5% of the microfilming cost)			
Total Section II Cost	Tarrawing to		31390.00



Section III

Purpose: Public use and secure employee computers

Vendor:

DRMS

Vendor Contact:

Trystan Gurrola

Vendor Address:

PO Box 4097

Paducah, KY 42002

Vendor Phone and Email:

270-443-1610 Trystan.Gurrola@drmsusa.com

Records	Date	Series	Cost
12 Dell Computers	09/07/2023		24080.00
Vi - 1:			
Quality Control (Add 12.5% of the microfilming cost)			
Total Section III Cost			24080.00

Section IV

Purpose: Storage for plat maps

Vendor:

Easi File

Vendor Contact:

David Lee

Vendor Address:

2500 East Miraloma Way

Anaheim, CA 92806

Vendor Phone and Email:

859-746-0752 david.lee@easifile.com

Records	Date	Series	Cost
3 plat map cabinets			8085.00
30 side enrty envelopes			1710.00
40 top entry evelopes			2120.00
1 divider card			55.00
freight and liftgate			713.78
Quality Control (Add 12.5% of the microfilming cost)	Esambanika S		
Total Section IV Cost			10683.78

^{**} Please Attach Additional Sections, if needed**

3



Can these records be removed from the office during the project? Yes No N/A
In what format do these records exist? Select all that apply.
Paper Electronic Files Microfilm Microfiche Aperture Cards Plats
Other:
Where are project records located? How does your agency provide for the long-term survival and accessibility o agency records? Are the records stored in a secure, climate controlled and fire-resistant facility, with adequate storage space, and proper security and supervision? Please explain.
This equipment is located in our deed room, and marrige license room at the Pike County Clerk's office, 146 Main Street Pikeville Kentucky 41501.We have public computers for digital access to some of our records. Our office is climate controlled. We have alot of records stored and space will soon be a problem. During the day we have staff and cameras, and during the night the doors are locked and we have cameras.
Project Outcomes
Describe project outcome(s) and explain the significance of each. How will the project outcome(s) assist with the management of project records? How will project outcome(s) advance the agency's records management program?
Getting a plat map scanner/ printer and new cabinets will help preserve our plat maps. We make copies of plat maps everyday and they are being folding because we can only print in sections. With a plat map scanner/printer we will not have to fold the maps to make copies. If we get new plat map cabinets will we have more space to store the plat maps with out folding them. Our current server and computers are out of date and dont have the space needed for updates and storage. If we get this equipment we will have more storage for records and updated software for our recording departments.



Commitment of Local Government:

Explain the ways your agency contributes resources to records management: Does your agency engage in the regular disposition of records in accordance with applicable records retention schedules? Does your agency separate inactive or non-current materials from active files? Does your agency provide records management training to agency staff? Explain your agency's records management program.

We record records in purchased software. We follow the retention schedule and dispose of records accoring to the schedule. Each department has a copy of the retention schedule. Each employee has been trained on how to use the retention schedule.
How does your agency ensure records are available to the public? Explain how your agency ensures access to record per the state's Open Records Law (KRS 61.870-876).
We have 5 public computers. The computers are available during office hours. Many of our records are also available online through our records management provider DRMS. Researchers can also come to our office and physically search through our records. Records are scanned and indexed in our computer system daily.
Additional information/comments:
Did you consult with your Regional Administrator (RA) on the project specifications (the records)?
I worked with our regional administrator David Atha. He came to our office for a visit and provided some direction. He has been very helpful and has answered all of my questions.



Certification:

Statement regarding expenditure of funds: The applicant agrees that funds granted under the Local Records Program will be spent solely in accordance with the project description and budget statement presented in this application. The grant recipient acknowledges that any changes in the submitted plan of project work, funding, or length must be submitted in writing to, and approved in advance by, the Kentucky Department for Libraries and Archives.

Statement regarding archival and records management policies and procedures: The applicant agrees to comply with all policies, procedures, and standards deriving from Kentucky Revised Statutes, Kentucky Administrative Regulations, as well as the policies of the Kentucky Department for Libraries and Archives and the State Libraries, Archives, and Records Commission concerning management, preservation, reproduction, and storage of public records in addition to those dealing with the official recording of such records in government offices, whether on paper, microfilm, or other medium.

Statement regarding project status and financial expenditure reporting: The applicant agrees to submit biannual Project Status and Financial Expenditure Reports during the course of the project and at the end of the project as specified in the grant contract. The grant recipient also agrees to create a separate grant fund account, maintain separate financial and programmatic records on this project, and retain source documentation such as canceled checks, paid invoices, payrolls, or other accounting documentation, which would facilitate an audit as required by statute, regulation, or administrative procedure.

Statement regarding continued records management and preservation support: The applicant agrees to make budgetary allowance to continue the work begun by this project to better manage, preserve, and secure the current and future records of this agency. The applicant also recognizes that such an allowance is a necessary operating expense that must be budgeted for on a regular basis.

<u>Statement regarding the Americans with Disabilities Act</u>: The applicant agrees to comply with the Title II provisions of the Americans with Disabilities Act and to submit to the Department, upon request, documentation that demonstrates compliance with the Title II requirements of the Americans with Disabilities Act.

Statement regarding State and Local Procurement: The applicant agrees that it has complied with all state and local procurement requirements to obtain bids as part of this application process.

Has any audit conducted by any entity during the two years preceding this application found your agency to have failed to comply with any applicable state purchasing statute? This includes failing to solicit for bids through an approved method found in statute or failing to award the bid to the lowest qualified bidder for any reason other than those allowed by statute. This would include the acquisition of any item or service not specifically exempted from bidding by statute. Audit reports for any agency selected to receive a grant may be checked to verify your answer to this question, a falsification may be considered fraud.

Yes No 🔽



Attest:

	Dank fagh
Local Government Authorized Official Signature	Official Custodian of Records
	Darrell Pugh Pike County Clerk
Printed Name and Title	Printed Name and Title
	9-8-2023
Date	Date

INVITATION FOR BID PROPOSAL

		County Clerk is applying for services/equipment/sup	r a Kentucky Local Records plies.
Spec	cial Conditions		
1. 2.	are certified by the Kentuc Work must be performed Department for Libraries	aphics services will only be considered from or cky Department for Libraries and Archives. I in accordance with applicable policies and re and Archives as stated in 725 KAR 1:050. Micro	gulations of the Kentucky
3.	given. Copies of digital images	approved by the Department before authorize accompanied by the corresponding index(es) r Libraries and Archives upon completion or	must be supplied to the
4. 5.	Roll microfilm used in this Micrographics services of	project must be polyester based. Ferers must indicate the roll length that will ach line item that is accurate to within one roll.	-
6.	Grant funds may be expen	ded for initial quality control costs. Costs accru	
7.	Offerers for services must proposal. Special condition	conduct an onsite examination of the materians or needs (photostats, bindings, physical concore a proposal is submitted. All proposals must i	litions, formats, etc.) must
8.	Clarification of terms, descress	criptions, conditions, or specifications for equiper.	oment/supplies is the sole
9.	Bid proposals must include	de separate, itemized price quotes for each li th the offerer is making a proposal, and a total	
10.	Offerers must provide serv	vices or materials within the term of the grant for sequent availability of state funds.	
11.	Written notification from	the local agency and the signed, returned on on the part of the offerer to provide the serv	
12.		I is contingent upon the award of the Local Re	
13.	Written proposals must be	119/11/12/12	_ to be considered.
V	Jul Junt	Darrell Pugh Clerk	07/03/2023
	Signature/Title ✓	Printed Name	Date

Section 1

 Plat Map scanner/ printer combo with stand Capable of color printing Capable of scanning/printing 36" documents Printing must be in 300 DPI or above

Section 2

- 1 Dell Server
- 1 server battery backup
- 1 High-Rely BNAS
- Checkpoint firewall
- network configuration switches

Section 3

• 12 dell computers

Section 4

3 Easi File Plat Map Cabinets
 30 Packages of side entry envelopes 24" x 18"
 40 packages of top entry envelopes 24" x 36"
 1 package divider card 22"

If you do not wish to bid, please submit a no bid response







Invitation For Bid Proposal

The Pike County Clerk's office is now accepting bids for equipment. We are needing new equipment for our records management department.

We are hoping to get an HP plat map scanner/printer combo. We need a new server, server battery backup, Bnas, check point firewall, switches for network configuration and 12 dell computers and 3 Easi file max DWG 24×41 with 30 side entry envelopes and 40 top entry envelopes.

Bid specs can be picked up at the Pike County Clerk's Office at 146 Main Street Pikeville, KY 41501. Bids should be submitted to the Pike County Clerk's Office no later than September 7th 2023.

If you have any questions please do not he state to call us at 606-432-6211 Ext 8.

Thank you,

Rebecca



We provide software for County Clerks, County Sheriffs and County Althoneys. Other services include document management for other city and county office applications, document scanning and secured storage.

WWW.DRMSUSA.COM

1-866-443-1610

Pike County Clerk • Darrell Pugh • 146 Main Street • Pikeville, KY 41502 • (606) 432-6211



Honorable Darrell Pugh Pike County Clerk 146 Main Street Pikeville, KY 41501 September 5, 2023

Dear Darrell,

Thank you for your continued loyalty and trust with DRMS and our secure networks. Attached below is the requested proposal for your hardware and other equipment for your office to run at the most top notch secure plus efficient. If you have any questions, feel free to reach out. Thank you!

Respectfully,

Trystan Gurrola
VP of Operations
Data Records Management Services, LLC



Onsite Examination: 8/10/2023

Section 1: HP Plat Scanner and Printer Combo

• WideTEK 48" Scanner, Stand, Software and Licensing. Combined with Canon 60" large format printer 8 color. Setup, configuration and installation included.

Section 1 total: \$22,975.00

Section 2: Server, Backups, Firewalls, Switches, and More.

PowerEdge T550 server with all required licenses and configuration, Checkpoint Quantum Spark
 1530 w/3year Pro Support, A PC UPS 1500w, and setup.

Section 2 total: \$31,390.00

Section 3: 12 Professional Dell Computers

• 12 OptiPlex Micro (7010) 13th Gen Intel Core i5 Windows 11 pro and 24" Dell Monitor with AlO Stand.

Section 3 total: \$24,080.00

Section 4: Easi File plat cabinet

NO BID

Section 4 total: NO BID

Total for all sections: \$78,445.00



General Conditions:	
Data Records Management Services will take and configured correctly.	e all necessary actions to ensure that all equipment is installed
Billing Terms:	
A invoice will be sent in the total amount for	r contract at the completion of the project.
Acceptance:	
Your signature of acceptance constitutes ou	r entire agreement.
Pike County Clerk	Date
Darrell Pugh	



Easi File 2500 East Miraloma Way Anaheim, CA 92806 Todays Date: August 30th, 2023

Date of visit was July 17^{th,} ,2023.

Section 4:

3 Plat Cabinets - EASI FILE (MAX DWG 24X41)	- \$8085.00
30 packages - ENVELOPE SIDE ENTRY	- \$1710.00
2 COMPARTMENTS / 24"W x 18"H	
40 Packages - ENVELOPE TOP ENTRY	- \$2120.00
1 COMPARTMENT / 24"W x 36"H	
1 DIVIDER CARD - 22"	- \$55.00
ENDURO RECYCLING PROGRAM: MUST RECYCLE 2 ENDURO FILES WITHIN 180 DAYS OF DELIVERY	(2,000 DISCOUNT)
FREIGHT LIFTGATE SERVICE Fed Ex will be delivering the cabinets to your building via lift gate service. Your staff will be responsible for bringing the cabinets into your facility. We will send over Fed Ex details via email with tracking information	- \$650.27 - \$63.51

Total Bid = 10,683.78











Proposal for HP DesignJet Wide Format Multi-Function System



DesignJet T-2600ps MFP

Date: 9/6/2023

Prepared For: Pike County Clerk 146Main Street Pikeville, KY 41501

Prepared By: **Tommy Philpot** Lynn Imaging/Monster Color

This proposal is valid for 30 days.

The contents of this proposal are considered to be Lynn Imaging private information and are provided for the exclusive use of your company. The contents herein may not be reproduced without the specific written permission of Lynn Imaging. This proposal is for informational purposes only and does not constitute a contract or an offer to contract. Pricing is subject to change at any time. Lynn Imaging credit terms are net 30 days, subject to credit approval. This proposal does not include applicable State and Federal Taxes.



Authorized Reseller & Service Provider



Louisville 11460 Bluegiass Parkway Louisville, KY 40209 502,409 6400

Lynnimaging.com

Monster Color 432 Okt Vine Street Lexington, KY 40507 869 220 5840









SAME Company, SAME Great Service

Dear Rebecca.

Thank you for the opportunity to present this proposal for digital imaging. As a Solutions Provider for HP, Oce and Canon USA our number one goal is to provide you with the tools, support, experience, and expertise that will ultimately help your firm to be more effective, efficient, and profitable. When evaluating Lynn Imaging, I hope you will consider the following:

- Come visit one of our locations in person, our showrooms in Lexington and Louisville, KY feature the finest equipment from HP and Canon Solutions America (CSA) formerly Oce. We will always have your best interest in mind, if the equipment lines we represent will not meet your needs then Lynn Imaging will send you to a trusted affiliate that can offer you the same great sales and service solutions that we offer.
- Our level of knowledge and expertise in providing hardware, software, and services you require.
- Our proactive approach to provide dedicated attention to your organization and its existing work-flows.
- Our Service Team will exceed your expectations.... Guaranteed!
- We offer complete solutions and services that encompass your entire Construction Management needs from conception through the end of the building life!

We have a 72-year history as a professional reprographer; our installation and IT staff implement printing solutions and solve plotting issues on a daily basis. This experience is not something that we take for granted because when you have immediate needs, you can trust that Lynn Imaging will have the very best service technicians in the Industry at your disposal and we have likely already encountered the issue.

An on-going relationship with Lynn Imaging affords you access to many professionals working to integrate the latest and best technology into your organization. On behalf of our entire team, we look forward to working with you.

I will be in touch with you shortly to review the information provided. In the meantime, do not hesitate to contact me at 502-376-1405 or tphilpot@lynnimaging.com if you have any questions.

Once again, thank you for the opportunity to present this proposal. I look forward to addressing your questions and continuing to build on the business relationship between Lynn Imaging and Pike County Clerk

Tommy Philpot Senior Consultant

Lynn Imaging and Monster Color

hilpot fr.

200.888.0693

HP DesignJet T2600 Multifunction Printer series



ENGINEERED FOR COLLABORATION—Turn your workgroups into highly efficient teams



SEAMLESS EXPERIENCE—Designed for all

- Radically simple experience with a 15.6-inch interface and the easy PDF printing with HP
- Engage in a collaborative workstyle with teams by quickly accessing shared folders to print and scan.³
- Empower your workforce. Easily print and share jobs from the cloud with your mobile device and HP Smart app.
- Fits in your workplace as the most compact 36 inch All in One and quietest operation, with up to B7% less noise.2

UNLEASH PERFORMANCE—To turn design into delivery

- · Showcase design versatility from precise line drafts to boldly colored 3D renders, with HP Bright Office Inks.
- Provide the highest accuracy and display the finest details with the unique Adobe PDF Print Engine.5
- Meet deadlines with speeds up to 180 D/hr, the industries only integrated stacker 2, and dual
- Easily digitize your projects with automated scanning, user-centric quicksets, and postediting capabilities.

SECURE—World's most secure large-format printer1

- Best of class network protection with features like HP Secure Boot and whitelisting
- Control who accesses the printer and its confidential documents with secure user authentication features.
- Keep your fleet secure with HP JetAdvantage Security Manager.

For more information, please visit http://www.hp.com/go/designjett2600

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

Advanced embedded security features are based on IIP review of 2019 published embedded security features of competitive printers, as of February 2019

Based on comparable large-format inkjet printers under \$12,000 (USD) as of December, 2018 IDC figures show that Canon, Epson, and IIP combine for 98% share of this printing category worldwide as of Q3, 2018 Most compact footprint calculated using all devices in "Operation mode" with an Open Basket and the arm of the Screen (front panel) spread out to enable user interaction and the scanner lated on the Canon TX 3000 T36 MFP and the Epson SC 15200 MFP to enable top media loading. Most quiet according to internal HP testing of sound pressure level during operating mode (plain paper, line drawing, Normal mode) compared to published specification of competitive printers. Percentage calculations of noise based on lineal units vs. Canon TX. 3000 published spec of 51dB(A). Fastest print speed based on sustained printing speeds. Only automatic print stacking based on unitity of the integrated stacker versus competitive printers only offering based or bin with stacking position.

3 Using Lightweight Directory Access Protocol (LDAP)

^{*} Using Lightweight Life Here Services (LIDAP)

**Compared to Enrich Direct Print & Share and based on "One Click Print." Once image is selected, one-click printing when printing the entire life without any modifications to the print settings. Applicable to PDF, JPEG, TEF_
DWF, HP-GL/22 files.

Requires purchase of the IHP DesignJet T2500 PostScript models or optional IHP DesignJet PostScript/PDF Upgrade Kit. Highest acturacy and finest details compared to printers without the embedded Adobe technology excluding RIP users, and based on Internal IHP testing with PDF files containing special fonts, PANTONE** colors, smooth shading, overprint, and transparencies that can only be reproduced using the Adobe PDF Print Engine. The Adobe PDF Print Engine. The Adobe PDF Print Engine (APPE) is Adobe shiph speed, high fidelaty print platform. To learn more, with high //www adobe com/products/pdf printengine.

**Gould rolls included with IHP DesignJet T2500dr multifunction printers only

Technical specifications

Print		
Print speed	180 A1/D in; A1/D in 19 3 sec on plain media.	
Print resolution	Up to 2400 x 1200 optimized dpi	
Technol ogy	HP Thermal Inkjet	
Margins	Roll 3 x 3 x 3 x 3 mm (0 12 x 0 12 x 0 12 x 0 12 m) Sheet: 3 x 22 x 3 x 3 mm (0 12 x 0 87 x 0 12 x 0 12 m)	
Ink types	Dye-based (C, M, Y, pK, G), pigment-based (mK)	
Printheads	1 universal printhead	
Line accuracy	£0.1%2	
Minimum line width	O 0008 in (O 02 mm) (PDF addressable @ 1200 dps)	
Multifunction capabilities		
Scan speed	Scan: Up to 3 m/sec (7 62 cm/sec) color at 200 dpi, up to 10 m/sec (25 4 cm/sec) grayscale at 200 dpi Copy: Up to 6 m/sec (15 24 cm/sec) color at 200 dpi, up to 10 m/sec (25 4 cm/sec) grayscale at 200 dpi	
Scan resolution	Up to 600 dpi	
Maximum scan size	Maximum scan width JPEG-36 × 315 in (914 × 8000 mm), TIFF-24 × 590 S in (610 × 15.000 mm), PDF-36 × 315 in (914 × 8000 mm).	
Thrkness	0.03 in (0.8 mm)	
Scan format	JPEG. TIFF and multipage TIFF, PDF and multipage PDF ^T	
Scan destinations	USB, shared network folder, printer HDD, email	
Media		
Handling	Sheet feed, front-loading rolf feed, roll switching ⁴ , integrated 100 page output stacker, media bin, automatic horizontal cutter Scanner straight through scan pager path for sheet and cardboard originals.	
Shoet core	8 3 x 11 to 36 x 48 m (210 x 279 to 914 x 1219 mm)	
Sheet size		
Poll size	1110 36 m (279 to 914 mm)	
Standard sheets	A4, A3, A2, A1, A0 (A, B, C, D, E)	
Grammage	60 to 328 g/m²	
Thr(kness	Up to 0.5 mm (19.7 mil)	
Applications	Line drawings, Maps, Orthophotos; Presentations; Renderings	
Memory	12B GB (file processing) ³	
Hard disk	500 GB self-encrypting	
Connectivity		
Interfaces	Grgabit Ethernet (1000Base-1), supporting the following standards. TEP/IP, BootP/DHCP (IPv4 only), DHCPv6, TETP	
	(IPA4 only). SNMP (v1. v2c. v3). Apple Boryour Compatible, W5 Discovery Embedded Web Server (HTTP HTTP5). IPsec SMTP (email. Raw IP printing (9100), LP0, IPP, W5 print, NTLM v2, SMBv3, SSL/TLS, B02.1X authentication (LEAP PEAP EAP-TLS), DFS	
Print languages (standard)	PostScript Printer: Adobe PostScript 3, Adobe PDF 1.7, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4	
Print languages (optional)	Adobe PostScript 3, Adobe PDF 1 7	
Printing paths	Direct printing from USB flash drive, print from network shared folder, email printing, HP driver for Windows, HP Print Service for Android, Apple AirPrint driver for MacOS and for iOS, HP Print for Chrome OS, HP Click, HP Smart Appl for iOs and Android.	
Drivers	PostScript Printer: Raster, PostScript and PDF drivers for Windows, AirPrint for macOS	
Security features	HP Secure Boot, Whitelisting, TPM, Role Based Access Control, LDAP and Kerberos authentication, SHMPv3, HTTP5, Secure-IPP, IPsec/Firewall, Certificates management, 802 1X, TLS 1 0/1 1/1 2, HP Web Jetadmin compatible, HP	
	PelAdvantage Security Manager compatible, Secure Disk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PIN printing. Systog security logging	
Dimensions (w x d x h)	JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220 22-M), Secure File erase, self-encrypting	
Dimensions (w x d x h)	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PIN printing. Systog security logging	
Printer	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encryptied PIN printing. Systog security logging 55 x 30 x 49 in (1390 x 760 x 1240 mm)	
Printer Shipping	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PIN printing. Systog security logging	
Printer	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encryptied PIN printing. Systog security logging 55 x 30 x 49 in (1390 x 760 x 1240 mm)	
Printer Shipping	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encryptied PIN printing. Systog security logging 55 x 30 x 49 in (1390 x 760 x 1240 mm)	
Printer Shipping Weight	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PPN printing. Systog security logging 55 x 30 x 49 in (1390 x 760 x 1240 mm) 58 3 x 30 3 x 32 in (1480 x 770 x 810 mm)	
Printer Shipping Welght Printer	JelAdvantage Security Manager computable, Secure Oxsk erase (DoD 5220 22:M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Systog security logging 55 x 30 x 49 in (1390 x 750 x 1240 mm) 58 3 x 30 3 x 32 in (1480 x 770 x 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg)	
Printer Shipping Welght Printer Shipping Shipping What's in the box	JelAdvantage Security Manager computable, Secure Ossk erase (DoD 5220 22:M). Secure File erase, self-encrypting HDD, encryptied PRV printing. Systog security logging	
Printer Shipping Welght Printer Shipping Shipping What's in the box	JelAdvantage Security Manager compatible, Secure Orsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypting PRI printing. Syslog security logging 55 × 30 × 49 in (1390 × 750 × 1240 mm). 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm). Single-roll. 229 ib (104 kg), dual-roll. 240 ib (109 kg). Single-roll. 300 ib (136 kg), dual-roll. 306 ib (139 kg). HP Designler 12600 Multifunition Printer, printer stand and media bin, 15 6" touchscreen, spindle(s) ⁸ , printheads, introductory ink cartridges, user guide, power cords.	
Printer Shipping Weight Printer Shipping Whata in the box HP Software and solutions	JelAdvantage Security Manager compatible, Secure Orsk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypting PRI printing. Syslog security logging 55 × 30 × 49 in (1390 × 750 × 1240 mm). 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm). Single-roll. 229 ib (104 kg), dual-roll. 240 ib (109 kg). Single-roll. 300 ib (136 kg), dual-roll. 306 ib (139 kg). HP Designler 12600 Multifunition Printer, printer stand and media bin, 15 6" touchscreen, spindle(s) ⁸ , printheads, introductory ink cartridges, user guide, power cords.	
Printer Shipping Weight Printer Shipping What's hithe box HP Software and solutions Environmental ranges	JelAdvantage Security Manager compatable, Secure Ossk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 200 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP Designlet 12600 Muldrunton Pinter, printer stand and media bin, 15 6" touchscreen, spindle(s)*, printheads, antroductory ink cartridges, user guide, power cords. 5 kP Click, HP mobile, ePrint and inSylfondoid support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional)	
Printer Shipping Weight Printer Shipping What's hi the box MP Software and solutions Environmental ranges Operating temperature Operating humidity	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^R , printheads, mitroductory risk cartridges, user guide, power cords BP Click, HP mobile, ePmin and ioS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JelAdvantage Security Manager, HP SmartTracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH	
Printer Shipping Weight Printer Shipping What's hi the box MP Software and solutions Environmental ranges Operating temperature Operating humdity Storage temperature	JelAdvantage Security Manager compatable, Secure Ossk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP Design Jet 12600 Multifunition Printer, printer stand and media bin, 15 6" touchscreen, spindle(s) ^M , printheads, introductory risk cartridges, user quade, power cords still Clinic. HP mobile, ePrint and SS/Androd support blus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional)	
Printer Shipping Weight Printer Shipping What's hi the box MP Software and solutions Environmental ranges Operating temperature Operating humidity	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^R , printheads, mitroductory risk cartridges, user guide, power cords BP Click, HP mobile, ePmin and ioS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JelAdvantage Security Manager, HP SmartTracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH	
Printer Shipping Weight Printer Shipping What's hi the box MP Software and solutions Environmental ranges Operating temperature Operating humdity Storage temperature	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^R , printheads, mitroductory risk cartridges, user guide, power cords BP Click, HP mobile, ePmin and ioS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JelAdvantage Security Manager, HP SmartTracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH	
Printer Shipping Weight Printer Shipping What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP Design Jet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^M , printheads, mitroductory risk cartridges, user guide, power cords kHP Click. HP mobile, ePrint and SS/Mordoo support blus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional) 41 to 95% (5 to 35%) 20 to 80% RH -13 to 131% (-25 to 55%)	
Printer Shipping Weight Printer Shipping What's in the box MP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 x 30 x 49 in (1390 x 760 x 1240 mm) 58 3 x 30 3 x 32 in (1480 x 770 x 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6" touchscreen, spindle(s) ^R , printheads, mitroductory risk cartridges, user guide, power cords HP Click, HP mobile, ePrint and ioS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH -13 to 131*F (-25 to 55*C)	
Printer Shipping Weight Printer Shipping What's in the box MP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^R , printheads, mitroductory ink catridges, user guide, power cords HP Click, HP mobile, ePrint and i05/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP Smart Tracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH -13 to 131*F (-25 to 55*C) 42 dB(A) (operating), 32 dB(A) (idle), < 17 dB(A) (sleep) \$ 5 9 B(A) (operating), 3 4 9 B(A) (idle), < 3 5 B(A) (sleep)	
Printer Shipping Weight Printer Shipping What's In the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power	JeldAvantage Security Manager compatible, Secure Disk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypting PRP printing. Systog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm). 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm). Single-roll. 209 ib (104 kg), dual-roll. 240 ib (109 kg). Single-roll. 209 ib (104 kg), dual-roll. 240 ib (109 kg). Single-roll. 300 ib (136 kg), dual-roll. 306 ib (139 kg). HP Desyntet 12600 Multifunition Printer, printer stand and media bin. 15 6" touchscreen, spindle(s)P, printheads, mitroductory in catridges, user guide, power cords. SHP Click, HP mobile, ePrint and iOS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP Smart Fracker (optional). 41 to 95% (5 to 35%). 20 to 80% RH -13 to 131% (-25 to 55%). 42 dB(A) (operating), 32 dB(A) (idle), < 17 dB(A) (sleep). \$ 5.9 B(A) (operating), 34 9 B(A) (idle), < 35 B(A) (sleep). \$ 5.9 B(A) (operating), 34 W (ready), < 1 W (< 10 W with embedded Digital Front End) (sleep), 0.3 W (off).	
Printer Shipping Weight Printer Shipping What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound power Power Consumption	JelAdvantage Security Manager computable, Secure Osisk erase (DoD 5220 22-M). Secure File erase, self-encrypting HDD, encrypted PRV printing. Syslog security logging 55 × 30 × 49 in (1390 × 760 × 1240 mm) 58 3 × 30 3 × 32 in (1480 × 770 × 810 mm) Single-roll. 229 lb (104 kg), dual-roll. 240 lb (109 kg) Single-roll. 300 lb (136 kg), dual-roll. 306 lb (139 kg) HP DesignJet 12600 Multifunition Printer, printer stand and media bin, 15.6° touchscreen, spindle(s) ^R , printheads, mitroductory ink catridges, user guide, power cords HP Click, HP mobile, ePrint and i05/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP Smart Tracker (optional) 41 to 95*F (5 to 35*C) 20 to 80% RH -13 to 131*F (-25 to 55*C) 42 dB(A) (operating), 32 dB(A) (idle), < 17 dB(A) (sleep) \$ 5 9 B(A) (operating), 3 4 9 B(A) (idle), < 3 5 B(A) (sleep)	
Printer Shipping Weight Printer Shipping What's hi the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound pressure Consumption Pedurements Lentification	JeldAvantage Security Manager compatible, Secure Disk erase (DoD 5220 22-M), Secure File erase, self-encrypting HDD, encrypting PRI printing. Systog security logging	
Printer Shipping Weight Printer Shipping What's In the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Accoustics Sound pressure Sound power Power Consumption Pedurements Lectification	JelAdvantage Security Manager compatible, Secure Osisk erase (DoD 5220 22-M), Secure File erase, self-encrypting (HDD, encrypting PRI) printing. Systog security logging	
Printer Shipping Weight Printer Shipping What's hi the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Acoustics Sound pressure Sound pressure Consumption Pedurements Lentification	JeldAvantage Security Manager compatible, Secure Disk erase (DoD 5220 22-M), Secure File erase, self-encrypting HDD, encrypting PRI printing. Systog security logging	
Printer Shipping Weight Printer Shipping What's In the box HP Software and solutions Environmental ranges Operating temperature Operating humidity Storage temperature Accoustics Sound pressure Sound power Power Consumption Pedurements Lectification	JelAdvantage Security Manager compatible, Secure Osisk erase (DoD 5220 22-M), Secure File erase, self-encrypting (HDD, encrypting PRI) printing. Systog security logging	

Ordering information

3EK15A	HP Designatet 12500dr 36-in PostScript Multifunction Printer
3EK158	HP Design fet T2600dr 36-in PostScript Multifunction Printer
3x878A	HP DesignJet #2600 36-in PostScript Multifunction Printer

Accessories

SNB9SA	HP SmartTracker USB for DesignJet
SNB9SAAE	HP SmartTracker for DesignJet
CN538A	HP DesignJet 3-in Core Adapter
L4R66A	HP Design Jet 36-in Spindle
N7P47AA	HP USB 3 O to Gigabit LAN Adapter

Original HP printing supplies

#3P06A	HP 727 DesignJet Printhead	
P2V62A	HP 730 130-ml Cyan DesignJet link Cartridge	
P2V63A	HP 730 130-ml Magenta DesignJet Ink Cartridge	
P2V64A	HP 730 130-ml Yellow Design Jet Ink. Cartridge	
P2V6SA	HP 730 130-ml Matte Black Design Jet Ink Cartridge	
P2V66A	HP 730 130-ml Gray DesignJet Ink Cartridge	
PZV67A	HP 730 130-ml Photo Black Design Jet Ink Cartridge	
P2V68A	HP 730 300-ml Cyan Design Jet Ink Cartridge	
P2V69A	HP 730 300-mt Magenta Design Jet Ink Cartridge	
P2V70A	HP 730 300-ml Yellow Design Jet Ink Cartridge	
P2V71A	HP 730 300-ml Malte Black Design Jet Ink Cartridge	
P2V72A	HP 730 300-ml Gray DesignJet Ink Cartridge	
P2V73A	HP 730 300-ml Photo Black Design Jet Ink Cartridge	

Use Original HP inks and printheads, and HP large format printing materials, to use unignal Hi-mas and priminedas, and Hi-Targe format printing materials, to experience consistent high quality and relable performance that enable less downtime. These crucial components are designed and engineered together as an optimized printing system, and Original HP-inis are designed to manurare the life of HP printheads. Protect your HP printer investment by using Diriginal HP-inis for full HP warranty protection. For more information, wish this comfigu/Original HP-inis.

Original HP large format printing materials

C6810A HP Bright White Inlijet Paper (FSC® certified)® (recyctable)® 36 in x 300 ft [914 mm x 91.4 m)

C5980A HP Coated Paper (PEFC™ certified)⁴ (recyclable)⁵ 36 in × 300 ft (914 mm × 91.4 m)

9.1 am) 15.580A HP Universal Heavyweight Coated Paper, 3-in Core (FSC* certified)⁴ (recyclablef³ 36 in x 3001 (1914 mm x 91.4 m) 15.5828A HP Everyday Matte Polybropylene, 3-in Core 36 in x 2001 t (914 mm x 61.2)

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

UB9P6E	(1-roll)/UBBU4E (2-roll) HP 3 year NBD Onsite HW Support with DMR
	(1-roll)/U88USE (2-roll) HP 4 year NBD Onsite HW Support with DMR
	(1-roll/UBBU6E (2-roll) HP 5 year NBD Onsite RW Support with DMR
UB9P9PE	(1-roll)/UBBU7PE (2-roll) HP 1 year Post Warranty NBD Onsite HW
	Support with DMR

UTXV4E HP Preventive Maintenance Service
HHP Installation Service with Network Setup

HP Design let Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hip convigo/cpc.

ECO highlights

- Save paper with automatic print settings and image nesting
 ENERGY STAR® certified® and EPEAT® registered®
 Free, convenient HPI init taktridge recycling®
 FSC® -certified papers® recycliable HPI media some HPI media eligible for take-back program®

Please recycle large-formet printing hardwere and printing supplies. Find out how at our website $h \rho \, nm/h cosolutions$

1 ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
2 EPEAT* registered where applicable EPEAT registration varies by country. See http://www.epeat.net/for registration status by country.
3 Program availability varies Please thetek http://www.hp.com/recycle/for detals.
4 BMG trademark scense.code FSC* 2.115319, see http://www.sc.org.http://www.scom.gr.HP trademark scense.code FSC* 0.01753.see http://www.sc.org.htm.scs* code FSC* 0.01753.see http://www.sc.org.htm.scs* code FSC* 0.01753.see http://www.sc.org.htm.scs* code FSC* 0.01753.see http://www.sc.org.htm.scs* code FSC* cotifications.scentistics.see http://www.sc.org.htm.scs* code Products are available in all regions. For information about HP large format princing materials, please visit http://www.HP.HMedia.com.scentistics.Scene HP media are eligible for return through the HP Large format Nedia tale-base program. Programs may not exist in your area. See http://www.HP.LFMedia.com/hp/ecosolutions/for details

¹ Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright. While Inlight Paper (Dond) and Original HP Inls. ² ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 2.3°C (7.3°F). 50.60% relative humidity, on AOC4 HP Matter Film in Best or Normal mode with

Original HP inks

Based on B GB RAM

Based on B GB RAM

BMG trademark license code FSC*-C115319, see http://www.hsc.org. HP trademark
license code FSC*-C017543, see http://www.hsc.org. BMG trademark license code
PETC**/22-31-261, see http://www.betc.org. HP trademark license code PETC**/23-31-198, see http://www.betc.org. HP trademark license code PETC**/23-31-198, see http://www.betc.org. NP trademark license code PETC**/23-31-198, see http://www.betc.org. NP trademark license code PETC**/23-31-198, see http://www.betc.org. NP trademark license code PETC**/23-31-198, see http://www.hsc.org. NP trademark license code

3-198, see http://www.hsc.org. HP trademark license code
PETC**/23-31-261, see http://www.hsc.org. HP trademark license code

4-198, see http://www.hsc.org. HP trademark license code

5-198, see http://www.hsc.org. HP trademark license code

7-198, see http://www.hsc.org. HP trademark license cod





















SAME Company, SAME Great Service


Service Excellence Guarantee

It's no accident that Lynn Imaging is the largest servicing bureau for HP and Canon USA (Oce) wide format equipment. Our highly skilled, factory trained, certified technicians set us apart from all of the rest! Each technician receives rigorous certification training from the manufacturers so that when you have a problem you get experienced technicians that resolve well over 90% of services issues on the first visit.

Full-Service Maintenance Agreements

We always recommend Full-Service Maintenance Agreements to protect your investment and to make sure your equipment is always at its best. A variety of plans and service options are available to meet your individual volume requirements.

Reasons for Service Calls



Feature	Benefit
Call back within 2 hours of you notifying Lynn Imaging that service is required.	Call back within 2 hours often solves the problem over the phone.
Two Preventative Maintenance calls per year.	Eliminates future issues BEFORE they occur, to keep you printing.
Next Business Day On-Site service.	Keeps you printing!
Lynn Imaging "Keep you Printing" guarantee.	We will print your work at our locations and deliver to you Immediately. No charge for delivery.
Guarantee of service and parts availability for a minimum of 5 years (3 years for previously installed equipment).	No need to worry about obsolescence due to unavailability of parts and our service team will always strive to repair your machine as long as it's under a FSMA.
Lynn Imaging "TOTAL SATISFACTION GUARANTÉE."	If your machine cannot be repaired while under a FSMA or Cost Per Copy considering normal use, we will replace with a "like machine at no additional cost."



Louisville 11460 Bluegrass Parkway Louizvilla, KY 40209 502,409,6400

Monster Color 432 Old Vine Street Lexington, KY 40507 259.220.5840

53

PRINTING CATEGORY DEFINITION

Printing categories are an easy way to track the type of printing on large format devices by a particular machine. These categories are based on ink usage. Bucket one includes all prints that have less than 10% ink coverage on the page, and it incrementally increases to buckets with more than 50% ink coverage on the page.

The cost of ink is a huge variable in large format color printing. As many switch from toner to ink this is a great way to keep the cost of printing down. The overwhelming majority of prints (more than **90**%) on the PageWide XL and DesignJet XL printers fall into buckets 1 and 2.

Bucket Number	Bucket 1	Bucket 2	Bucket 3	Bucket 4	Bucket 5
Name of Bucket	Mono Lines Drawings	Color Lines Drawings	Low Density Image	High Density Image	Premium Quality Image
Ink Coverage	Less than 10%	Less than 10%	10 – 50%	More than 50%	More than 50% on specialty paper
PageWide XL Categories Examples by Industry					
		# CAMPAND BARRAND CAMPAND CAMP			



LEXINGTON

328 Old Vine Street Lexington, KY 40507 859.255.1021

800.888.0693

LOUISVILLE

11460 Bluegrass Parkway Louisville, KY 40299 502.499.8400

LynnImaging.com

LEXINGTON

432 Old Vine Street Lexington, KY 40507 859,226,5840

Monster-Color.com











HP DesignJet Printers

Pricing: Product, Installation, and Maintenance



Purchase or Lease and Maintenance Agreement

HP DesignJet T-2600ps MFP

- HP DesignJet T-2600ps MFP, plus options listed below.
- · Start-up Ink for Installation CMYK Printer, Start-up Inks Included
- Postscript/PDF
- Installation and Training
- · HP Manufacturer's Warranty One Year

Quantity		List Price	Your Price
1	HP DesignJet T-2600ps MFP	\$ 11,625.00	\$ 9,595.00
1	1 Roll Color Bond	\$ 29.96	\$ 0.00
1	Full set of ink	\$ 703.27	\$ 632.94
1	3 yr service warranty	\$ 1,687.00	\$ 1,687.00
1	Install & Training*	\$ 395.00	\$ 395.00

*Install and Training price is base. Site survey will determine final price.

This price includes HP Cash in/Trade Up.

☑ This price does NOT include sales or local taxes

If Applicable Tax:

Total: \$ 12,309.94

The Lynn Pack is a comprehensive maintenance plan billed monthly, that covers service, maintenance, install and parts plus your most used supplies (inks and bond paper). Pricing listed below. This is a supply and service plan that is suggested for printers that have been purchased, the 3 yr service warranty above is the other option. If you choose not to do either of these options the printer comes with a 1 year manufacturers warranty which we will service if you purchase from us.

Lynn Pack service and supply plan*

Cost: \$ \$115

per month base fee

*Includes break/fix parts, inks, bond paper, service,

Includes: 450

square feet of bucket 1 & 2

and maintenance, for 36 months.

per square foot per appropriate bucket Overage:

Bucket 1: Mono Lines: \$.16 per square foot

Bucket 2: Color Lines: \$ 18 per square foot

Bucket 3: Low Density Prints: \$.225 per square foot

Bucket 4: High Density Prints: \$ 39 per square foot

Bucket 5: Premium Color Prints: \$.79 per square foot

Lexington 328 Old Vine Street Lexington, KY 40507 859.255.1021

Louisville 11-460 Biograss Parkway Louisville, KY 40299 502,429 6400

Manster Color 439 Okt Vine Street Lexington, NY 40507 859.226.5640

800.888.0693

Lynnimaging.com

Monster-Color.com



SMALL GOVERNMENT, BIG SOLUTIONS

PIKE COUNTY CLERK'S OFFICE

RESPONSE TO RFB DATED JULY 3, 2023

Site visit: September 5, 2023

Section 1: HP plat map scanner/printer combo

HP DesignJet T830 36-in multifunction plotter

Core features: Spec sheets included for additional details and technical data.

- 36" maximum sheet size
- Color scan speed up to 1.5 in/sec at 200 dpi
- Grayscale scan speed up to 4.5 in/sec at 200 dpi
- 1 GB of internal memory
- Gigabit Ethernet
- Scan format TIFF, JPEG & PDF
- Print resolution 2400x1200 dpi
- Scan resolution 600dpi
- Energy Star Certified
- Full set of 4 130ml inks included in addition to starter set
- 1 roll of 36" paper
- Stand included
- Sheet feeder included
- Scan to eMail, USB, mobile
- One-year limited warranty from factory defects
- Includes shipping, setup & installation

Section 1 total cost:

36" HP DesignJet T830 multifunction Scanner/Printer Cost \$10,909.00


Section 2: No Bid

Section 3: No Bid

HP DesignJet T830 36-in Multifunction Printer



Communicate more effectively—no learning curve needed—with print plus scan and copy capabilities



CONVENIENT-Fast, agile, intuitive print/scan/copy

- Enjoy easy installation in the office, construction job site with the most compact 36-in large-format
- Easily print project sets and PDF documents with HP Click printing software.
- Anyone can print smoothly from a smartphone or tablet with HP Mobile Printing.2
- Fit your print volume—choose from 130- and 300-ml HP ink cartridges.

TRUSTED—HP DesignJet quality and reliability

- Get HP DesignJet quality also in small-format sizes -print half-size documents with 50-sheet A4/A3 input tray.
- Smart scanning technology protects originals from damage when scanning and obtains precise colors.
- Reinforced design and strong legs for easy transport and use at the job site.
- Redesigned stand reduces CO2e up to 197 tons/year by units sold.3

COMMUNICATION—Immediately share meeting results

- Use built-in scanner to copy and distribute sketches and hand-annotated drawings to peers/partners right away.
- Easily link your computer, smartphone, or tablet to the printer with Wi-Fi Direct.
- Share drawings immediately—scan/email from front panel, use HP Smart app⁴ to email contacts,
- No learning curve—with the intuitive design of a single touchscreen, you can scan, copy, and share instantly.

For more information, please visit http://www.hp.com/go/designjett830

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip, Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

for Apple® mobile devices and from the Google Play Store for Android™ mobile devices

The HP DesignJet T830 24-inch and 36-inch Multifunction Printers are the most compact large-format devices performing print/scan/copy functions based on H x W x L specifications published as of May, 2017.
**Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wiveless to wired connections) or have a direct wiveless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Deck with service provider for coverage and availability in your area. See hittp://www.lip.com/goklesignjetmobility for more details.
**Redesigned stand with reducted material usage and up to 30% weight reduction compared to the previous stand model used in the HP DesignJet T830 Multifunction Printer series. Based on calculations in accordance with ISO 14040/14044 Life Cycle Assessments using ReCiPe (H) v. 1.1 (2016) on GaBi 8.5 (2018) software and scaled to reflect expected yearly sales.
**The HP Smart app is available for free from the Apple® App Store for Apple® (Foole) Play Store for Apple® App Store for Apple® (Foole) Play Store

Technical specifications

Print speed	25 sec/page on D. 82 D prints per hour
Print resolution	Up to Z400 × 1200 optimized dpi
Technology	HP Thermal Inkyet
Margins	Polt 0 2 × 0 2 × 0 2 × 0 2 m
	Sheet 02×02×02×02m
Ink types	Dye-based (C, M, Y), pigment based (mF)
Ink drop	6 pl (C, M, Y), 12 6 pl (m))
Printheads	1 (C. M. Y.mk)
Prmthead nozzles	1376
Line accuracy	201%?
Mineium line width	0 DD08 in (HP-GL/Z addressable)
Max optical density	6 L* min/2 10 D1
Multifunction capabilities	
Scan speed	Up to 1.5 m/sec (color, 200 dp.) Up to 4.5 m/sec (grayscale, 200 dp.)
Scan resolution	Up to 600 dpi
Scan format	JPEG, PDF TIFF
Scan destinations	Scan to email, scan to cloud (through HP Smart 4pp), network, USB, computer, mobile
Thickness	003 m
Media	
Handling	Sheet feed, roll feed, input tray, media bin, automatic horizontal culter
Roll size	11 to 36 m
Sheet size	Ingut tray 8 3 x 1 t to 13 x 19 in Manual feed 13 x 19 to 36 x 74 7 in
Standard sheets	Input tray A B Manual feed C D, E
Grammage	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (input tray)
Thickness	Up to 11 8 mil
Applications	Line drawings, Renderings, Presentations
Memory	1 68
Hard disk	None
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), Wi-Fi 802 11b/g/n
Native print languages	HP-GL/2 HP-RTL, THE IPEG, CALS G4 URF
Printing paths	Wi-Fi Direct to enable mobile printing wa HP ePrint. Apple AirPrint and HP Smart app for Android and iOS devices. Windows and macOS printer drivers: printing support for Chrome OS, print from USB peri drive.
Drivers	HP-GL/2 HP-RTL drivers for Windows Paster driver for macDS and Windows
Dimensions (w x d xh)	
Printer	552 x 23 4 x 45 5 in
Shipping	62 5 × 27 4 × 25 4 in
Weight	
Printer	128 3 lb
Shipping	177.9 lb
What's in the box	HP DesignJet T830.36-in MFP, printhead, ink-cartridges, printer stand, spindle, quick reference quide, setup poster, startup software, power cord-refeed preventers
HP Software and solutions	HP Click: HP Smart app. HP Support Assistant. HP Print Preview for Windows: HP DesignJet Utility for macOS and Windows
Environmental ranges	
Operating temperature	4) 10 104%
Operating humidity	20 to 80% RM
Storage temperature	-13 to 131%
Acoustics	
Sound pressure	48 dB(A) (operating), <16 dB(A) (idle)
Sound power	6.58(A) (operating), <3.4B(A) (idle)
Power	
Consumption	35 watts (printing), 3.5 watts (sleep), 0.2 walts (standby)
Requirements	Input waitage (auto ranging) 100-240 V (±10%),50/60 Hz (±3 Hz), 1 2 A max
Certification	CONTROL OF
alety	USA and Canada (CSA retriled), EU (UVD EN 60950-1 and EN 62368-1 compliant), Pussia (EAC), Singapore (PSB), China (CCC), Mexico (NYCE), Argentina (IRAM), India (BIS)
lectromagnetic	Compliant with Class B requirements including USA (FCC rules), Canada (ICES), EU (EMC/PRTE Directives). Australia (ACMA), New Zealand (RSH), China (CCC), Japan (VCC), Certified as Class A product Korea (KCC)
	· · · · · · · · · · · · · · · · · · ·
nvronmental	EREPGY STAR EPEAT, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China. Korea, India. Vietnam. Turkey, Serbia. and Ukraine.

Ordering information

	_
Product	
F9A30D	HP Design fet 1830-36-in Multifunction Printer
Accessories	
B3Q37A	HP Design let 36-in Spindle
N7P47AA	HP USB 3 0 to Grabit LAN Adapter

	and the second s	
3WX25A	HP 728 130-ml Maite Black Design Jet Ink Cartridge	
F9165A	HP 728 130-ml Yellow Design Jet Ink Cartridge	
F9166A	HP 728 130-ml Magenta DesignJet Ink Cartridge	
F9167A	HP 728 130-ml (van Design Jet Ink Cartridge	
F9168A	HP 728 300-ml Matte Black Design Jet Ink Cartridge	
F9J8IA	HP 729 Design let Printhead Peplacement Fit	
F9K15A	HP 728 300-mt Yellow Design Jet Ink Cartridge	
F9K16A	HP 728 300-ml Magenta DesignJet Ink Cartridge	
ESE12A	142 728 300 ml Cvan Decimblet Ink Carthdon	

1991 DA 1997 28-300-m Magenta Unsignite into attringe 1991 TA 1992 28-300-m (year Despine) to K. Cattrodia proteins to experience consistent Use Original HP internal printheads, and tHP large format printing materials to experience consistent high quality and enable performance that enable less downtime. These critical components are designed and engineered together as an optamized printing system, and Original HP inks are designed to maismize the Ide of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit his configorogical HP inks.

Service and Support

Deloinal MD oriettos supolina

Derived amb support

UTV44E HP Network Installation Service

UTV44E HP Preventive Maintenance Service

UBTY8E HP 2 year Nets Business Day HW Support

UBTY8E HP 2 year Nets Business Day HW Support

UBTY9E HP 4 year Nets Business Day HW Support

UBTY9E HP 4 year Nets Business Day HW Support

UBTY9E HP 1 year Post Warranty Nets Business (Day HW Support

UBPHSPE HP 1 year Post Warranty Nets Business Day HW Support

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/spórcc

ECO highlights

- EMERGY STAR® certified and EPEAT® registered
 free convenient HP ank cartridge recycling?
 #SC® certified papers and a range of recyclable HP media with a take-back program.

Please recycle printing hardware and eligible printing supplies and prints. Find out how at our website: http://www.hp.com/ecosolutions

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental

ENERGY 51AR and the ENERGY 51AR mask are registered Indomnals ownerous into a conviction protection Agency Protection Agency — EPEAT registered where applicable EPEAT registration varies by country. See http://www.epeal.net.for.registration.status by country. Program availability varies. Please check http://www.hp.com/recycle for details.

BMG trademark license code FSCE_C115319, see http://www.fsc.org. FP trademark license code FSCE_C1017543 see http://www.fsc.org. Not.all FSCE_critical products are available in all regions. Many FP printing materials are recyclable involving normanity available recycling programs if or information about FP large format printing materials is please wish http://www.FPLFMeda.com

Mechanial printing time: Printed in East mode with Economode on, using MP Bright White Inlyet Paper (bond) and Original HP wiss.

"81 % of this specified vector length or 10.2 mm (whichever greater) at 23% (\$23%) 50.60% relative humsely an ADE printing material in Best or Normal mode with MP Heavyweight Coated roll feed and Original HP wish with MP Premium Instant Dry Photo Gloss media with Original HP inks.

























Bids / No Bids

VENDER	DATE BID RECEIVED
EASI FILE	08/30/2023
DRMS	09/05/2023
LYNN IMAGING	09/06/2023
SOFTWARE MANAGEMENT	09/07/2023

We have 3 bids on section 1.

We have 1 bid and 1 no bid on section 2.

We have 1 bid on section 3.

We have 1 bid on section 4.

Section 4 was a situation where only one company could bid because they are the only company that sells the item on the bid proposal.

From:

Thacker, Rebecca (Pike County Clerk)

Sent:

Friday, August 18, 2023 10:33 AM

To:

joe@courthousecomputersystems.com

Subject:

2024C2 Invitation To Bid

Attachments:

Invitation For Bid Proposal.pdf

Good Morning,

I am writing you to extend an invitation to bid on equipment. We are needing to get new equipment in our recording departments. I have attached the Invitation to bid proposal.

As you know, KDLA asks that you do an onsite visit. Just let me know if you choose not to except this invitation with a no bid. We look forward to hearing from you!

Sincerely,

Rebecca Thacker

From:

Thacker, Rebecca (Pike County Clerk)

Sent:

Friday, August 18, 2023 3:42 PM

To:

gzeigler@smllc.us

Subject:

Invitation To Bid Invitation For Bid Proposal.pdf

Good Afternoon,

Attachments:

I am writing you to extend an invitation to bid on equipment. We are needing to get new equipment in our recording departments. I have attached the Invitation to bid proposal.

As you know, KDLA asks that you do an onsite visit. Just let me know if you choose not to except this invitation with a no bid. We look forward to hearing from you!

Sincerely,

Rebecca Thacker

From:

Thacker, Rebecca (Pike County Clerk)

Sent:

Wednesday, August 30, 2023 10:56 AM

To:

chuck@courthousecomputersystems.com

Subject:

Invitation to bid

Attachments:

Invitation For Bid Proposal.pdf

Good Morning,

I am writing you to extend an invitation to bid on equipment. We are needing to get new equipment in our recording departments. I have attached the Invitation to bid proposal.

As you know, KDLA asks that you do an onsite visit. Just let me know if you choose not to except this invitation with a no bid. We look forward to hearing from you!

Sincerely,

Rebecca Thacker

From:

Thacker, Rebecca (Pike County Clerk)

Sent:

Wednesday, August 30, 2023 4:32 PM

To:

David Lee

Subject:

Invitation to Bid

Attachments:

Invitation For Bid Proposal.pdf

Hello David,

I am writing you to extend an invitation to bid on equipment. We are needing to get new equipment in our recording departments. I have attached the Invitation to bid proposal.

As you know, KDLA asks that you do an onsite visit. Just let me know if you choose not to except this invitation with a no bid.

Sincerely,

Rebecca Thacker

From:

Thacker, Rebecca (Pike County Clerk)

Sent:

Friday, September 1, 2023 4:28 PM

To:

tphilpot@lynnimaging.com

Subject:

Invitation to bid

Attachments:

Invitation For Bid Proposal.pdf

Tommy,

I would like to extend an invitation to bid on a plat map scanner / printer for the KDLA grant we are applying for. I have attached the invitation for bid proposal to this email. KDLA recommends a site visit but I don't think they are required for equipment. All bids are due in my office by 4pm 09/07/2023. If you send us a bid just make sure you include shipping/handling, freight, delivery and installation/set-up costs, which should be itemized in the bid. We look forward to hearing from you!

Sincerely,

Rebecca

Rebecca Thacker

Deputy Clerk / Bookkeeper

146 Main Street
Pikeville, Ky 41501
Phone # (606)432-6211
Fax # (606)432-6222