KY Moms Maternal Assistance Towards Recovery

Katie Stratton – Alyesse Coonrod – Mercedes Helton- Jessica Osborne 05/12/2022

Our Mission

KY-Moms Maternal Assistance Towards Recovery (MATR) is a behavioral health prevention and case management program focused on risks and effects of substance use/misuse while providing education, information, resources, support and hope to pregnant and postpartum individuals and their families and to the professionals who serve them.

Our Vision

We are dedicated to connecting pregnant and postpartum individuals and their families in Kentucky with the resources and tools they need to recognize and overcome risk factors and symptoms of prenatal and postpartum substance use/misuse.

We are dedicated to connecting and educating professionals in Kentucky with the resources and tools they need to recognize, learn, and treat risk factors and symptoms of prenatal and postpartum substance use/misuse, along with providing access to available treatment and recovery service options.

We aim to increase overall awareness of and reduce the stigma surrounding prenatal and postpartum substance use/misuse allowing parents to feel heard, acknowledged and supported, and they will engage with informed resources to help lessen the burden, so they no longer feel alone or afraid.

Through prevention education and case management services, we will provide information, resources, and supports to pregnant and postpartum individuals and their families from all backgrounds who might otherwise be unable to access the behavioral health services, recovery supports and medical care they need.

Working in partnerships with community partners, organizations, and agencies, we aim to strengthen the support network in our communities to ensure pregnant and postpartum women are screened, referred and engaged in treatment and recovery supports throughout pregnancy and up to 60 days postpartum.

Our Values

Empowerment: We strive to find ways to empower pregnant and postpartum individuals and their families to live a healthier life for themselves.

Community: We complement the existing resources and collaborate with other agencies and partners in our communities.

Advocacy: We listen, anticipate, and respond to the changing needs of pregnant and postpartum individuals and their families in our communities.

Non-Judgmental Support: We provide support to all pregnant and postpartum individuals and their families regardless of age, gender, race, ethnicity, background, religion or philosophy.

KY Moms On Air



KY Moms

Maternal Assistance Towards Recovery (MATR)

- Who: Pregnant and individuals up to 60 days postpartum
- What: A substance use prevention and case management program to educate and assist with needs of client's that present on the spectrum of no substance use risk factors to concerns related to a substance use disorder.
- When: Anytime during pregnancy and up to 60 days postpartum
- Where: Programs are housed within the 14 Community Mental Health Centers
- How: Referrals are accepted from any potential client, community member or medical/behavioral health professional. Medicaid and Block Grant reimbursement- Only substance use prevention service that is reimbursable; only case management service that is not required to be paired with outpatient therapy to assist with increasing levels of client readiness for a higher level of care.



KY Moms Client Experiences

Experiences of Our Moms

ACE Score of Individuals who entered program <u>BEFORE</u> birth

FIGURE II.8. NUMBER OF TYPES OF ADVERSE CHILDHOOD EXPERIENCES REPORTED AT BASELINE (N = 73)
No adverse childhood experiences, 5.5%
1 - 3 adverse childhood experiences, 32.9%
4 - 6 adverse childhood experiences, 34.2%
7 - 9 adverse childhood experiences, 21.9%
10 adverse childhood experiences, 5.5%

ACE Score of Individuals who entered program <u>AFTER</u> birth

FIGURE II.B.6. NUMBER OF TYPES OF ADVERSE CHILDHOOD EXPERIENCES REPORTED AT BASELINE (N = 22)

No adverse childhood experiences, 0.0%
1 - 3 adverse childhood experiences, 40.9%
4 - 6 adverse childhood experiences, 31.8%
7 - 9 adverse childhood experiences, 13.6%
10 adverse childhood experiences, 13.6%

Childhood Risks and Abuse in Individuals who entered KMM <u>BEFORE</u> Birth



FIGURE II.9. SPECIFIC MALTREATMENT AND ABUSE EXPERIENCES IN CHILDHOOD (N = 73)



Childhood Risks and Abuse in Individuals who entered KMM AFTER Birth



FIGURE II.B.7. SPECIFIC MALTREATMENT AND ABUSE EXPERIENCES IN CHILDHOOD (N = 22)



Victimization Experiences in Individuals who entered KMM <u>BEFORE</u> birth



Ever In the 6 months before pregnancy

Victimization Experiences in Individuals who entered KMM <u>AFTER</u> birth

FIGURE II.B.9. PERCENT OF CLIENTS HAVING EVER EXPERIENCED VICTIMIZATION (N = 22)



Ever In the past 6 months

Rating of Stressful Events in individuals that entered KMM <u>BEFORE</u> birth

FIGURE II.13. RATING OF EVENTS AFTER THE BIRTH OF THE BABY AS STRESSFUL/VERY STRESSFUL (N = 22)41



Rating of Stressful Events in individuals that entered KMM <u>AFTER</u> birth



How do our Moms reach their goals?



<u>KY Moms Substance Use Prevention</u> <u>Education Services</u>

prevention

IS KEY!

Educate pregnant and postpartum individuals and their families of potential risks related to substance use during pregnancy and postpartum periods.

Reduce risks associated with substance use for individuals that present with increased risk of substance use concerns during pregnancy, postpartum and across the lifespan

Targeted primarily at pregnant and postpartum individuals who are generally at a lower or moderate risk for using substances during pregnancy and postpartum periods, rather than individuals who have a substance use disorder as defined in the most recent version of the DSM.

Prevention = No Substance Use Disorder diagnosis

Types of Prevention Education Services

- <u>Universal</u>: A pregnant or postpartum individual who indicates NO alcohol or drug and does not present with a psychiatric or medical condition, or present with biological, psychological, or social factors which would increase the risk for initiation use of alcohol, tobacco, or other substances. Individual does not present with a personal or family history of substance use or lifestyle, legal problem, or other symptom and does not meet criteria for a substance use disorder.
- Selective: A pregnant or postpartum individual who indicates NO alcohol or drug (in this case tobacco is not considered a drug) use during the last 30 days or during pregnancy, but is at increased risk for substance use concerns during the pregnancy and throughout life due to the following risk factors:
 - Family history of alcohol and drug use
 - Household members and significant others (including partners and peers) who have substance use concerns
 - History of emotional, sexual or physical abuse
 - History of mental health problems and diagnosis
- **Indicated:** A pregnant or postpartum individual who presents with the following characteristics:
 - Currently or has used alcohol or drugs since learning of the pregnancy or baby's birth
 - Currently or has exhibited problematic behaviors prior to pregnancy associated with substance use
 - Currently or has exhibited risk factors that increase chances of developing a substance use concern/disorder
 - Meets the criteria for a substance use disorder assessment and may benefit from a referral for substance use case management services

<u>KY Moms</u> Case Management

The case manager's role is essential to the overarching goal of a woman's recovery process; to provide support to mother/child dyad, reduce ACE scores and break intergenerational substance use patterns.

Criteria for Substance Use Case Management Services:

- 1. Has a diagnosis of a mild, moderate, or severe substance use disorder
- 2. Is pregnant or postpartum

Unique to KY Moms MATR Case Management:

- 1. Individual does NOT have to be active or referred to therapy services \rightarrow CM is a stand-alone service
- 2. Individual can have a MILD substance use disorder diagnosis
- 3. Services are offered in the community, client's home, or office \rightarrow we meet where client is comfortable
- 4. Case Manager's can assist with transportation to medical appointments during pregnancy and postnatally
- 5. Case Managers assist the individual in "Getting Ready" for any additional forms of treatment needed (residential, intensive outpatient, etc.)
- 6. Case Managers can assist with court and DCBS plans of action/correction



<u>KY Moms</u> Harm Reduction

Reduction of harm is evidenced by the following:

- Reduction in the use of alcohol, tobacco, and other substances;
- Reduction of targeted risk factors for substance use;
- Healthy birth outcomes (based on birth weight, length of gestation, and APGAR score) compared to the general population of women and demographically comparable women; and
- Engagement of high-risk pregnant women in needed services.



One Region's Examples

Contingency Management and the Motivational Incentives

- Car Seats
- Diapers/Wipes
- Bottles
- Diaper bags
- Clothing
- Blankets

And many more!

Based on the mothers' compliance with services and the agreed upon reward system.

Different programs may do their contingency management differently.

🧁 Baby Buck Rewards 🔮



Items will be distributed to KY-MOMS Case Management Clients Based on the following: 5 Points= Attending each Case Management meeting scheduled 5 points= Signed ROI for each outside provider (DCBS, OBGYN, MAT Provider, etc.) 5 points= Completed/Close DCBS Case Plan (If you have one) 5 points= Going to Prenatal Care Appointment 10 points= Completing CDAR Survey 10 points= Achieving Goal on Treatment Plan

*Colors and prints of some items will vary. We cannot accept requests based on brand, color, price, etc.

Positive Life Outcomes for

Mom

Compared to baseline, clients' risk factors significantly improved at postnatal follow-up²



REPORTED ANY ILLEGAL DRUG USE***

73% 8%

at baseline at follow-up



AVERAGE NUMBER OF DAYS MENTAL HEALTH WAS NOT GOOD**

7.5 3.8

at baseline at follow-up



REPORTED ANY

ALCOHOL USE**

39% 12%

at baseline at follow-up

SCREENED POSITIVE FOR POST-TRAUMATIC STRESS DISORDER SYMPTOMS**

32% 8%

at baseline at follow-up



MET STUDY CRITERIA FOR DEPRESSION AND/OR GENERALIZED ANXIETY***

65% 15% at baseline at follow-up



REPORTED ANY INTIMATE PARTNER ABUSE***

42% 4% at baseline at follow-up



REPORTED BEING CURRENTLY UNEMPLOYED**

62% 35%



REPORTED SMOKING CIGARETTES*

80% 60%

at baseline at follow-up



Positive Birth Outcomes



PRENATAL VISITS

11.4 average number

of visits



BIRTH WEIGHT

6lbs, 13oz average birth weight



ANY LABOR/DELIVERY COMPLICATIONS

> 11% reported any complications



APGAR SCORE

9.0 average

score



PAYMENT SOURCE FOR DELIVERY

> 90% Medicaid



BABIES BORN WITH **BIRTH DEFECTS**

0%

born with defects



GESTATIONAL AGE

38.5 average

weeks

MOTHER BREASTFED BABY

80%

reported breastfeeding

Regional Special Projects

- KY Moms Sheds/Baby Sheds
 - LifeSkills Region (Bowling Green area)
 - Pennyroyal Region (Hopkinsville)
- Spanish Prevention Education
 New Vista (Lexington area)
- The Greenhouse Project
 - Pathways (Ashland)
- Community-Wide Baby Shower
 - NorthKey Region

Kentucky's

Recovery Oriented System of Care

Pregnant women and new mothers may have three distinct substance use experiences and may be differentiated in three different groups:

- Prescribed opioid medication for chronic pain or on medication that can result in a withdrawal syndrome and is not known to have a substance use disorder.
- Receiving medication-assisted treatment for an opioid use disorder or is actively engaged in treatment for substance use disorder.
- Misusing prescription drugs, or is using legal or illegal drugs, meets criteria for substance use disorder, not actively engaged in substance use disorder treatment program.

Plan of Safe Care Contact Info

The Adanta Group Communicare Cumberland River Behavioral Health LifeSkills New Vista Mountain Comprehensive Care Pennyroyal Center Seven Counties Services Sherri Estes Amanda Clark Rachel Bowles Amber Sikes Jessica Osborne Taylor Trout Erin Harper Bobbi Bledsoe

Trainings Offered

- Substance Use During Pregnancy and Postpartum
- Youth Mental Health First Aid
- Adult Mental Health First Aid
- Question, Persuade, and refer (QPR)
- SBIRT
- Motivational Interviewing
- Trauma-Informed Care
- Applied Suicide Intervention Skills (ASIST)
- Prime for Life
- Assessing and Managing Suicide Risk for Substance Use Disorders

Pregnancy Behavioral Risk Screening

Pregnancy Behavioral Ri	isk Screening	Date:	
PASTE "C Label" HERE Patient Name: Circ	de one: Pregnancy o	or Postpartum ICD Code	
First MI Last OB/	GYN:		
Health Dept. Exp	Agency/Location: Expected Delivery Date: Hospital most likely for delivery;		
	· · · ·	envery.	
Patient Phone: (OR (
Patient Mailing Address:			
*			
Signature of health care provider or their duly authorized Sign representative confirming pregnancy diagnosis	ature of individual com	pleting screening form, if different	
Health care provider After asking ALL screening questions, return to question #1 and review Offer every patient a fact sheet on the importance of abstinence from	v with patient, checking su alcohol, nicotine, and othe	ggested actions taken below. er drugs durfng pregnancy.	
Patient Women's health can be affected by emotional problems, alcohol, nicotine, other same by problems are present in people close to us. By "alcohol," we mean beer, w	whe, whe coolers, or liquo	lolence. Women's health is also affected when those r. stute for Health and Recovervi	
Screening Questions	Answers	Suggested Action	
 Did any of your <u>parents</u> ever have a problem with alcohol or drug use? 	Yes No	If YES to questions #1, 2, or 3:	
Does your <u>partner</u> have any problem with alcohol or drug use?	Yes No	Stated concern that any of these can increase risk for developing alcohol and	
3. Do any of your close <u>friends</u> have any problem with alcohol or drug use?	Yes No	drug problems Referral to KY-Moms MATR for	
		prevention education	
In the month before you knew you were pregnant, how many days did you smoke	Days (#)	If ANY cigarette, nicotine products, alcohol, or drug use in questions	
cigarettes or use nicotine products? (Even one cigarette per day equals one day.)		#4- #6:	
If ANY DAYS, ask:	Days (#)	Completed Brief Intervention: Stated concern	
In the <u>last month</u> , how <u>many days</u> did you smoke cigarettes or use any form of nicotine product?		Advised abstinence	
 In the month before you knew you were pregnant, how many servings of alcohol 	Servings (#)	 Discussed patient's reaction 	
(beer, wine, wine coolers, or hard liquor) did you drink?		Agreed on a plan of action	
If ANY SERVINGS, ask: In the last month, how many days, a week did you drink alcohol?	Days (#)	Completed Referral:	
6. Have you ever used other drugs such as: cocaine, methamphetamines,		Kentucky's Tobacco Quit Line (1-800-QUIT-NOW)	
amphetamines, tranquilizers, heroin, prescription pain pills (other than as prescribed), marijuana, LSD, PCP, or inhalant drugs (fumes from aerosol cans,	Yes No	Behavioral health provider for	
or other fumes) in the past?		substance use assessment/ treatmen	
If YES, ask: In the month <u>before</u> you knew you were pregnant, how many <u>times</u> did you	Times (#)	Provider:	
use any of the drugs that you have used in the past?		KY-Moms MATR for case management and linkage with	
If ANY TIMES, ask: In the <u>last month</u> , how <u>many days</u> a week did you use the drugs you	Days (#)	behavioral health services Other:	
mentioned?			
 Are you feeling at all <u>unsafe</u> in any way in your relationship with your current partner or with a previous partner? 	Yes No	If YES to question #7: Followed office procedure for partner	
partner or with a previous partner?		abuse disclosure	
	Yes No	If YES to question #8:	
8. Over the past few weeks, has worry, anxiety, depression or sadness made it difficult for you to do your work, get along with others, or take care of things at home?		Stated concern about the effects of depression and anxiety on the baby	
	YesNo	Referred to behavioral health provider for	
		assessment/ treatment and/or to KY-Moms MATR for prevention education	

*Statewide KY-Moms: Maternal Assistance Towards Recovery (MATR) contact: Katie Stratton 502-782-6192 *Adapted from screening Instrument created by Robert Walker, University of Kentucky, Center on Drug and Alcohol Research.

or release of medical information, refer to the Authorization for Release/Acquisition of Patient Information form CH-23 and instructions for use, in the CCSG orms Section and the AR for guidance. PN-2(rev02/2020)

- Allows us to determine what criteria of services the mother needs, such as level of prevention education or case management.
- Connection to mental health and/or substance use treatment.
- If mother has any domestic violence concerns, we connect her to domestic violence resources

Referral to KY Moms MATR

	KY-Moms Maternal Assistance Towards Recovery (MATR)	
Patient Referral Form	Referral Location Name: Phone/Email:	
Deferral	Cuidalinar	
Referral Guidelines 1. To refer a potential pregnant patient or a patient no more than 6 months post-partum, please complete this form and return II, along with a copy of the <u>cubetaneo</u> use corresning/accessment tool used (e.g., PN-2', PT-1, ACH-94, ACH-92, H&P 13, H&P 14, HCV-2, CAR-17, AUDIT, GASBI, etc.) to determine eligibility, to be designated (KY-Morm MART email listed above.		
The patient you refer will be contacted by a KY-Moms MATR Prevention Specialist or Case Manager within 48-hours of receipt of referral form.		
 Only one referral per pregnancy/postpartum period, per patient can be made. If a patient is referred by more than one medical provider, the first referral received will be the one accepted. 		
 Please attach a patient signed Release of Information form and a proof of pregnancy or delivery if the patient is currently pregnant or postpartum. 		
Patient In	formation	
Patient Name:	Date of Referral:	
Defend Address	Preferred contact	
Patient Address:	Method: <u>#:</u>	
(Email/Text/Phone) Email:		
Referral Information		
Please select patient's current status: O Pregnant O Postpartum		
Diagnosis Code: (Medical or Behavioral Health Diagnosis Code)		
Due Date/ Delivery Date:		
Medicaid #: or O Private Insurance		
YES NO Does patient currently present with substance use RISK FACTORS during pregnancy or postpartum?		
YES NO Does patient currently present with SUBSTANCE USE concerns during pregnancy or postpartum?		
Referring Provider (Printed):		
Provider Signature:		
Name of Referring Agency:		
For KY Moms MATR Use Only		
Date Received:	Contacted?	
Prevention Education Appointment?	Case Management Appointment?	

How to Submit a Referral

- Complete with client's demographic information
- Anyone can submit a referral
- Submit referral to the nearest Regional prevention center. (See KY Moms MAP for contact information) on next slide.
- Submit referral along with the Pregnancy behavioral risk screening.

Statewide Contacts

KY Moms: Maternal Assistance Towards Recovery (MATR) Services:

- For Pregnant and Postpartum Individuals who are at risk for or diagnosed with Substance Use Disorders
- Operated by KY's 14 Community Mental Health Centers
- Additional Mental Health services and Recovery Supports are offered by each region. Contact the CMHC regional contact for more information.

Kentucky Division of Behavioral Health contact: Katie Stratton: (502) 782-6192 Katie.stratton@ky.gov

KY Moms MATR by Community Mental Health Region

1- Four Rivers Behavioral Health (Paducah & surrounding counties) Cynthia Turner (270) 442-8039 x 1716 cturner@4rbh.org

- 2- Pennyroyal Center (Hopkinsville & surrounding counties) Chris Sparks (270) 886-0486 csparks@pennyroyalcenter.org
- 3- River Valley Behavioral Health (Owensboro & surrounding counties) Brooke Arnold (270) 689- 6564 arnold-brooke@rvbh.com
- 4- Lifeskills (Bowling Green & surrounding counties) Amy Hutchinson (270) 901-5000 x 1277 ahutchinso@lifeskills.com
- 5- Communicare (Elizabethtown & surrounding counties) Amanda Clark (270) 765-5992 x 1405 ACClark@communicare.org

- 6- Seven Counties Services (Louisville & surrounding counties) Emily Kleinhelter (502) 443-2623 ekleinhelter@sevencounties.org
- 7- NorthKey Community Care (Newport and surrounding counties) Autumn Smith (859) 578-3200 autumn.smith@northkey.org
- 8- Comprehend (Maysville & surrounding counties) Tara Anderson (606) 759-7799 tanderson@comprehendinc.org
- 10- Pathways (Ashland & surrounding counties) Kalinda Cade (606) 324-1141 Kalinda.cade@pathways-ky.org
- 11- Mountain Comprehensive Care (Prestonsburg & surrounding counties) Taylor Trout (606) 889-0328 taylor.trout@mtcomp.org

- 12- KY River Comprehensive Care (Hazard & surrounding counties) Jamie Mullins-Smith (606) 666-7591 x7100 Jamie.smith@krccnet.com
- 13- Cumberland River Behavioral Health, Inc (Corbin & surrounding counties) Jill Owens (606) 337-2070 jill.owens@crccc.org
- 14- The Adanta Group (Somerset & surrounding counties) Sherri Estes (606) 679-9425 sestes1@adanta.org
- 15- New Vista (Lexington & surrounding counties) Mercedes Helton (859) 225-3296 Mercedes.helton@newvista.org

Project Link Seven Counties Services Pregnancy Case Management Louisville Jada Nance (502) 297-3874 jnance@sevencounties.org

KY-Moms

Maternal Assistance Towards Recovery

Revised 03/01/2022

Plan of Safe Care



"A Plan of Safe Care is a Community Safety Net" for the infants and families suffering from Substance Use Disorder. – SAMHSA

Occurs at community level as a safety net that is designed to prevent instances of people "falling through the cracks"

"Communities must collaboratively develop a response that addresses the needs of the infants and mothers and their families." – SAMHSA

• A key difference of note: Safety Plans versus and Plan of Safe Care



Contact Info

Katie Stratton DBHDID-KY Moms Program Administrator 502-782-6192 Katie.Stratton@ky.gov

Mercedes Helton New Vista KY Moms Case Manager 859-227-9008 Mercedes.helton@newvista.org Alyesse Coonrod New Vista KY Moms Prevention Specialist 859-254-1574 Alyesse.coonrod@newvista.org

Jessica Osborne New Vista ROSC Coordinator 859-407-0981 Jessica.Osborne@newvista.org